

UPHOLSTERED LOUNGE ARM CHAIR WITH HEADREST AND CHROME 4 STAR BASE




Features

- Lounge Chair.
- Upholstered Headrest.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Height Adjustable.
- Tilt And Swivel Movement.
- Chrome 4 Star Base.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 400-490mm.
- SW) Seat Width: 470mm.
- SD) Seat Depth: 510mm.
- BH) Back Height: 480mm.
- BW) Back Width: 560mm.
- OW) Overall Width: 780mm.
- HH) Headrest Height: 220mm.
- HW) Headrest Width: 540mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability		
Ref	Description	
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.	BS5852:1990 Part1&2
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.	BS5852:1990 Part1&2
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.	BS7176:1995
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.	
BS5852:1990		
Specification		
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.	BS2543:1995
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	BS5790-1:1996



UPHOLSTERED LOUNGE ARM CHAIR WITH CHROME 4 STAR BASE




Features

- Lounge Chair.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Height Adjustable.
- Tilt And Swivel Movement.
- Chrome 4 Star Base.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 400-490mm.
- SW) Seat Width: 470mm.
- SD) Seat Depth: 510mm.
- BH) Back Height: 480mm.
- BW) Back Width: 560mm.
- OW) Overall Width: 780mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability

Ref	Description	
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.	BS5852:1990 Part1&2
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.	BS5852:1990 Part1&2
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.	BS7176:1995
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.	
BS5852:1990		
Specification		
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.	BS2543:1995
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	BS5790-1:1996



UPHOLSTERED LOUNGE ARM CHAIR WITH CHROME PYRAMID BASE




Features

- Lounge Chair.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Swivel Movement.
- Chrome Pyramid Base.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 450mm.
- SW) Seat Width: 470mm.
- SD) Seat Depth: 510mm.
- BH) Back Height: 480mm.
- BW) Back Width: 560mm.
- OW) Overall Width: 780mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability

Ref	Description
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.
BS5852:1990	Specification
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.

BS5852:1990 Part1&2
BS5852:1990 Part1&2
BS7176:1995

BS2543:1995

BS5790-1:1996



UPHOLSTERED LOUNGE ARM CHAIR WITH HEADREST AND CHROME SKID FRAME




Features

- Lounge Chair.
- Upholstered Headrest.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Chrome Skid Frame.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 490mm.
- SW) Seat Width: 470mm.
- SD) Seat Depth: 510mm.
- BH) Back Height: 480mm.
- BW) Back Width: 560mm.
- OW) Overall Width: 780mm.
- HH) Headrest Height: 220mm.
- HW) Headrest Width: 540mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability

Ref	Description
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.
BS5852:1990	Specification
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.

BS5852:1990 Part1&2
BS5852:1990 Part1&2
BS7176:1995

BS2543:1995

BS5790-1:1996



UPHOLSTERED LOUNGE ARM CHAIR WITH CHROME SKID FRAME




Features

- Lounge Chair.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Chrome Skid Frame.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 490mm.
SW) Seat Width: 470mm.
SD) Seat Depth: 510mm.
BH) Back Height: 480mm.
BW) Back Width: 560mm.
OW) Overall Width: 780mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability

Ref	Description
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.
BS5852:1990	Specification
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.

BS5852:1990 Part1&2
BS5852:1990 Part1&2
BS7176:1995

BS2543:1995

BS5790-1:1996



UPHOLSTERED LOUNGE ARM CHAIR WITH HEADREST AND OAK PYRAMID BASE




Features

- Lounge Chair.
- Upholstered Headrest.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Oak Pyramid Base.
- Swivel Movement.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 450mm.
- SW) Seat Width: 470mm.
- SD) Seat Depth: 510mm.
- BH) Back Height: 480mm.
- BW) Back Width: 560mm.
- OW) Overall Width: 780mm.
- HH) Headrest Height: 220mm.
- HW) Headrest Width: 540mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability

Ref	Description
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.
BS5852:1990	Specification
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.

BS5852:1990 Part1&2
BS5852:1990 Part1&2
BS7176:1995

BS2543:1995

BS5790-1:1996



UPHOLSTERED LOUNGE ARM CHAIR WITH HEADREST AND WALNUT PYRAMID BASE




Features

- Lounge Chair.
- Upholstered Headrest.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Walnut Pyramid Base.
- Swivel Movement.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 450mm.
- SW) Seat Width: 470mm.
- SD) Seat Depth: 510mm.
- BH) Back Height: 480mm.
- BW) Back Width: 560mm.
- OW) Overall Width: 780mm.
- HH) Headrest Height: 220mm.
- HW) Headrest Width: 540mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability Ref	Description	
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.	BS5852:1990 Part1&2
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.	BS5852:1990 Part1&2
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.	BS7176:1995
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.	
BS5852:1990 Specification		
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.	BS2543:1995
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	BS5790-1:1996



UPHOLSTERED LOUNGE ARM CHAIR WITH WALNUT PYRAMID BASE




Features

- Lounge Chair.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Walnut Pyramid Base.
- Swivel Movement.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 450mm.
- SW) Seat Width: 470mm.
- SD) Seat Depth: 510mm.
- BH) Back Height: 480mm.
- BW) Back Width: 560mm.
- OW) Overall Width: 780mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability		
Ref	Description	
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.	BS5852:1990 Part1&2
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.	BS5852:1990 Part1&2
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.	BS7176:1995
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.	
BS5852:1990		
Specification		
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.	BS2543:1995
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.	BS5790-1:1996



UPHOLSTERED LOUNGE ARM CHAIR WITH OAK PYRAMID BASE




Features

- Lounge Chair.
- Upholstered Back With Buttons.
- Upholstered Seat.
- Upholstered Arms.
- Oak Pyramid Base.
- Swivel Movement.
- Superior Stitching Detail.
- Twin Comfort Density Foam.

Dimensions

- SH) Seat Height: 450mm.
- SW) Seat Width: 470mm.
- SD) Seat Depth: 510mm.
- BH) Back Height: 480mm.
- BW) Back Width: 560mm.
- OW) Overall Width: 780mm.



Standards

All models are designed to conform to the following standards.

Fabrics and Flammability

Ref	Description
BS EN 1021 –1:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Smouldering cigarette.
BS EN 1021 –2:	1994 Assessment of the ignitability of upholstered furniture. Ignition source: Match flame equivalent.
BS 7176:2007	Specification for resistance to ignition of upholstered furniture for non-domestic seating by testing composites.
BS 5852:2006	Methods of test for assessment of the ignitability of upholstered seating by smouldering& flaming ignition sources.
BS5852:1990 Specification	
BS EN 14465:2003	Textiles – Upholstery fabrics – Specification and methods of tests.
BS5790-1:1996	Coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.
BS ISO 7617-1:2001	Plastics-coated fabrics for upholstery. Specification for PVC-coated knitted fabrics.

BS5852:1990 Part1&2
BS5852:1990 Part1&2
BS7176:1995

BS2543:1995

BS5790-1:1996

